

UC San Diego

Research Summaries

Title

Determining the Processes that Control Kelp Spore Abundance

Permalink

<https://escholarship.org/uc/item/3c90449t>

Authors

Dayton, Paul K.
Graham, Michael

Publication Date

2002

Determining the Processes that Control Kelp Spore Abundance

Paul Dayton

University of California, San Diego—Scripps Institution of Oceanography

California’s towering canopies of giant kelp are the structure and substance for many of the state’s most commercially valuable fisheries. Sea urchins, lobsters, crabs, rockfish, sea cucumbers and abalone all call the amber giant kelp forest home. As a source of alginates, texture-enhancing compounds put in ice cream, paint and medicines, kelp is itself a commercially important marine product.

Despite the kelp forest’s biological and economic importance, kelp forest ecology is rich in unanswered, yet basic, scientific questions. What controls the abundance of kelp spores? Do spores from distant kelp beds reseed local beds torn asunder by storms? Are many small kelp beds or fewer large ones better for maintaining healthy fisheries? All these are important questions for managing the state’s marine resources and for preserving its remarkable natural history.

The Project

Kelp forest ecologist Dr. Paul Dayton of Scripps Institution of Oceanography and his graduate student Dr. Michael Graham, now a marine researcher at the University of California at Davis, were funded to study the reproductive processes of the Point Loma kelp forest in San Diego—one of the largest in the world, in bountiful years covering an area about 7 kilometers long and 1 kilometer wide.

Giant kelp plants, which technically are not plants but algae, reproduce like ferns by dispersing spores. Spores are produced on

special kelp blades on adult plants.

Previous studies have shown that large, dense kelp beds alter the flow of water through them. With the outer plants acting as a giant underwater wind block, the interior of a kelp bed may be almost motionless—even during a mild swell.

The main focus of this project was to investigate the degree to which spore abundance can be expressed as a function of location in the kelp bed, proximity to reproductively active plants and ocean current speed.

The Method

During the nine months between February and November 1999, the scientists collected water samples



Mature kelp forest with large giant kelp (*Macrocystis pyrifera*) plants. In terms of supporting a diversity of life, giant kelp forests are to cold ocean environments what the coral reefs are to the tropics. Photo: Eric Hanauer.

26 times at 5 sites in the Point Loma kelp bed. On each dive, the scientists also took counts of all reproductively active plants, data that were used to estimate spore production at each site.

Using a technique refined specifically for the project, water samples were analyzed for the abundance of a photosynthetic pigment unique to giant kelp plants. Ocean current speeds were based on historic current meter data.

The Findings

In the center of the kelp bed, the scientists found that spore abundance in the water column mirrored spore production from nearby adult plants. Based on their estimates, about 77 percent of the variability in spore abundance was associated with the rate of spore dispersal from nearby plants.

In contrast, near the edges of the kelp bed, spore abundance was not related to the rate of spore production. Instead, ocean currents, tides and winds were rapidly transporting spores great distances.

The spore analysis was consistent with physical oceanographic data showing that kelp forests alter ocean currents. In the center of the kelp forest, where ocean currents are weak, spores do not travel far. On the outskirts, where currents can be intense, spores are whisked away.

Implications

Dr. Graham said: “The work suggests that if you are interested in stabilizing a kelp forest, you have to take into account how big

the kelp forest is. A big forest is not the same as a little one. There is something special about a big forest in terms of its current flow and thus its ability to re-colonize itself.

"If individual kelp plants in the middle of a large kelp bed die, it is not a big deal because there will be plenty of spores to re-colonize the hole. For a smaller bed, the recovery process could be much more difficult since locally produced spores are transported elsewhere, with ocean currents.

"To protect a kelp forest, you don't want to focus entirely on the health of individual plants, but also on the density and size of the forest as a whole. It may not matter if there are healthy individuals. If you've changed the size and density of a bed, you've changed the currents and where the spores are going."

Publications

- Graham, M.H. 2000. Planktonic patterns and processes in the giant kelp *Macrocystis pyrifera*. Ph.D. dissertation abstract, University of California, San Diego.
- Graham, M.H. and B.G. Mitchell. 1999. Obtaining absorption spectra from individual macroalgal spores using microphotometry. *Hydrobiologia* 398/399:231–239.
- Graham, M.H. 1999. Identification of kelp zoospores from in situ plankton samples. *Mar. Biol.* 135:709–720.

- Dayton, P.K., M.J. Tegner, P.B. Edwards, and K.L. Riser. 1999. Temporal and spatial scales of kelp demography: The role of oceanographic climate. *Ecol. Monogr.* 69(2): 219–250.

Presentations

- Graham, M.H. The secret life of kelps: Planktonic processes and population dynamics. Phycological Society of America Annual Meeting. San Diego, California, July 2000.
- Graham, M.H. Spatio-temporal variability in the abundance of kelp planktonic stages. 5th Temperate Reef Symposium. Capetown, South Africa, January 2000.
- Graham, M.H. Spatio-temporal variability in the abundance of kelp planktonic stages. Western Society of Naturalists Annual Meeting. Monterey, California, December 1999.
- Graham, M.H. and B.G. Mitchell. Obtaining absorption spectra from individual macroalgal spores using microphotometry. 16th International Seaweed Symposium. Cebu City, Philippines, April 1998.

Trainee and Thesis

- Graham, Michael H., Ph.D. in Biological Oceanography, Scripps Institution of Oceanography, University of California, San Diego 2000, "Role of Pre-Settlement Processes in the Population Dynamic of Subtidal Kelp."

Awards

- Best Student Paper Award (Honorable Mention), Graham, M.H. Spatio-temporal variability in the abundance of kelp planktonic stages. Western Society of Naturalists Annual Meeting, Monterey, California, December 1999.

For more information:

Dr. Paul Dayton

Scripps Institution of Oceanography
University of California, San Diego
Email: pdayton@ucsd.edu
Tel.: (858) 534-6740

Dr. Michael Graham

University of California, Davis
Email: mgraham@ucdavis.edu
Tel.: (530) 753-5719
Website: <http://kelpster.ucdavis.edu>

PUB. NO. CSG-CZ-02-001

JANUARY 2002

California Sea Grant is a statewide, multiuniversity program of marine research, education, and outreach activities, administered by the University of California. Sea Grant-sponsored research contributes to the growing body of knowledge about our coastal and ocean resources and, consequently, to the solution of many marine-related problems facing our society. Through its Marine Extension Program, Sea Grant transfers information and technology developed in research efforts to a wide community of interested parties and actual users of marine information and technology, not only in California but throughout the nation. Sea Grant also supports a broad range of educational programs so that our coastal and ocean resources can be understood and used judiciously by this and future generations.

The national network of Sea Grant programs is a unique partnership of public and private sectors, combining research, education, and technology transfer for public service and dedicated to meeting the changing environmental and economic needs in our coastal, ocean, and Great Lakes regions.

This work is sponsored in part by a grant from the National Sea Grant College Program, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, under grant number NA06RG0142, Project number A/P-1. The views expressed herein are those of the author and do not necessarily reflect the views of NOAA or any of its sub-agencies. The U.S. Government is authorized to reproduce and distribute for governmental purposes.



CALIFORNIA SEA GRANT COLLEGE PROGRAM

Russell A. Moll, Director • Dolores M. Wesson, Deputy Director • Paul Olin, Interim Associate Director for Extension
• Marsha Gear, Communications Coordinator

University of California, San Diego, 9500 Gilman Drive, La Jolla, CA 92093-0232
Phone:(858) 534-4440 Fax: (858) 453-2948 Web site: <http://www-csgc.ucsd.edu>