

# UCSF

## UC San Francisco Previously Published Works

### Title

Same-Sex Couples Matter in Cancer Care

### Permalink

<https://escholarship.org/uc/item/6c409772>

### Journal

JCO Oncology Practice, 11(2)

### ISSN

2688-1527

### Authors

Kamen, Charles  
Mustian, Karen  
Johnson, Mallory O  
et al.

### Publication Date

2015-03-01

### DOI

10.1200/jop.2014.000877

Peer reviewed

## Same-Sex Couples Matter in Cancer Care

By Charles Kamen, PhD, MPH, Karen Mustian, PhD, MPH, Mallory O. Johnson, PhD, and Ulrike Boehmer, PhD

University of Rochester, Rochester, NY; University of California San Francisco, San Francisco, CA; and Boston University, Boston, MA

The importance of couplehood in the context of cancer has been highlighted in recent national debates over same-sex marriage. Same-sex couples in Illinois, North Carolina, Indiana, and Georgia all sued for legal recognition in 2013 to 2014 when one member of the couple was diagnosed with or died as a result of cancer.<sup>1-3</sup> Despite this national attention, research on and integration of same-sex couples in cancer care remains inconsistent. Well-publicized studies have highlighted the powerful impact that heterosexual marriage has on cancer survivorship<sup>4</sup> as well as the lack of data on the relationships of sexual and gender minority adults diagnosed with cancer.<sup>5</sup> Our intention with this perspective piece is to outline areas in need of further development for this underserved population of couples.

Throughout this piece, we will use the term “sexual minority” to describe lesbian, gay, and bisexual persons and individuals with a same-sex partner. We recognize the need for research on transgender and gender minority individuals, but focus here on sexual minorities so as not to conflate sexual and gender minority issues. We refer to dyadic couplehood when describing the relationships of sexual minority individuals, but acknowledge that other relationship configurations (eg, nonmonogamous, triadic) may have beneficial effects on cancer-related health. We are interested in same-sex couplehood broadly, not only same-sex marriage, because legal marriage is not universally available to same-sex couples.

There are an estimated 420,000 to 1,000,000 sexual minority cancer survivors in the United States,<sup>6,7</sup> suggesting a population larger than other cancer populations that have received considerable research attention. Pediatric survivors, for example, number approximately 330,000 in the United States.<sup>8</sup> Population-based studies have found that subgroups of sexual minority individuals have nearly 2× higher odds of having a history of cancer than their heterosexual counterparts, so the actual number of sexual minority individuals diagnosed with cancer may exceed these estimates.<sup>9</sup>

A majority of sexual minority adults enter into committed romantic relationships, and same-sex partners of sexual minority patients with cancer are likely to play a significant role in caregiving and providing support.<sup>10</sup> The importance and unique aspects of these contributions have been overlooked in cancer care and research. In a recently published study, Aizer et al<sup>4</sup> discussed the protective effect of heterosexual marriage on cancer survival and outlined four potential underlying mechanisms: earlier and better access to care among married patients, better adherence to treatment, less psychological distress, and better immune function. All of these mechanisms have the potential to function differently

among sexual minority individuals and same-sex couples than they do in heterosexual married couples.

In terms of earlier and better access to care, patients in same-sex relationships may hesitate to present for treatment and/or may withhold information about their sexuality because of fear of discrimination.<sup>11,12</sup> Lack of disclosure in this population has been shown to increase distress and negatively affect referral to appropriate ancillary care and health outcome.<sup>13,14</sup> Even in situations where a sexual minority patient does disclose and access appropriate care, it is unknown how often same-sex partners participate in this care. Attending a clinic visit as a same-sex couple can be a tacit form of disclosure and may raise fears of discrimination and prejudice once the patient’s sexuality and relationship status are known.<sup>11</sup>

The same fear of exposure to prejudice that limits same-sex partners’ attendance at clinic also limits their inclusion in medical decision making and involvement in treatment adherence. Heterosexual couples often involve their partners in medical care decisions,<sup>15</sup> but it is unknown how frequently sexual minority patients involve their same-sex partners in these decisions. Same-sex partners are less likely than heterosexuals to share insurance coverage and financial benefits related to health care, although this disparity may be reduced in the wake of the Affordable Care Act.<sup>16,17</sup> If same-sex partners are excluded from both insurance benefits and participation in cancer care visits, they may be less aware of the treatment plan and thereby limited in their ability to support the patient’s treatment adherence. Underscoring the importance of engaging both members of the couple, support from same-sex partners has been shown to improve medication adherence in other disease contexts when this support is overtly solicited.<sup>18</sup>

In terms of psychological distress, it may be that enhanced psychological wellness, rather than pragmatic aspects of marriage, predicts improved survival. Psychological distress is associated with a nearly two-fold increase in cancer-related mortality.<sup>19</sup> This increased risk of mortality is particularly salient for sexual minority individuals, who experience psychological distress at 1.5 to 3× higher rates than heterosexual individuals.<sup>20</sup> Emerging evidence indicates that elevated distress is also seen among sexual minority patients with cancer.<sup>21</sup> The literature on heterosexual and same-sex relationships consistently shows the benefits of couplehood, and marriage in particular, in reducing psychological distress.<sup>22</sup> Same-sex couples may not have had the opportunity to establish legal recognition of their relationship through marriage and may instead be living in marriage-like relationships or civil unions. Lack of legal

recognition may prevent the benefits of partnership from translating into enhanced psychological wellness.<sup>23</sup>

In terms of improved immune function, data from heterosexual married couples have consistently revealed that marital relationship quality is associated with immune response.<sup>24</sup> In the context of chronic disease, marriage improves immune biomarkers, which in turn predict better clinical outcomes.<sup>25</sup> For same-sex couples, the additional factor of chronic stress resulting from prejudice and discrimination may impinge on immune function.<sup>26</sup> Data from other minority groups have shown that exposure to prejudice and discrimination results in increased immune and physiologic reactivity and increased inflammation.<sup>27</sup> Few studies have examined immune function among sexual minority individuals. One recent study showed that exposure to prejudice increases inflammatory biomarkers,<sup>26</sup> and another showed that disclosure of sexual minority identity improves inflammation.<sup>28</sup> Neither of these studies took relationship status into account, and neither examined sexual minority individuals affected by cancer.

There are a number of additional psychosocial concerns that are of particular relevance for sexual minority persons. Sexual minority individuals are more likely to have experienced familial alienation, bullying, and exposure to trauma during development.<sup>29</sup> Consequently, these individuals experience higher rates of depression, suicide attempts, anxiety disorders, post-traumatic adjustment problems, and substance abuse disorders<sup>20,30</sup> than the general population. Collectively, these risk factors can constrict the range of social support and coping skills that sexual minority individuals can bring to bear when they or their same-sex partners are diagnosed with cancer. The knowledge base from research with heterosexual married couples affected by cancer may not generalize to same-sex couples, given their exposure to these risk factors.

We conclude with a call for intensified education, services, and research regarding sexual minority individuals and same-sex couples affected by cancer. Ensuring a nondiscriminatory clinical environment with culturally competent staff and providers, educated about the unique needs of sexual minority patients, could help these patients to disclose their minority status and improve access to appropriate care. Integrating same-sex partners into cancer care decision making could improve adherence to treatment, and bolstering support between same-sex partners could reduce psychological distress and improve immune function. Additional funding for clinical research on sexual minority patients could address some of the major gaps in the science at present.

## References

- Jenkins C: Same-sex couples facing illness sue N. Carolina for marriage recognition. <http://www.reuters.com/article/2014/04/09/usa-gaymarriage-north-carolina-idUJL2N0N11FG20140409>
- Saunders P: Lambda Legal files class-action gay marriage lawsuit in Ga., meet plaintiffs in exclusive interview. <http://thegayvoice.com/breaking-marriage-equality-lawsuit-filed-ga/>
- Evans T: Court orders Ind. to recognize 1 same-sex marriage. [www.usatoday.com/story/news/nation/2014/07/01/indiana-same-sex-marriage/11922417/](http://www.usatoday.com/story/news/nation/2014/07/01/indiana-same-sex-marriage/11922417/)
- Aizer AA, Chen MH, McCarthy EP, et al: Marital status and survival in patients with cancer. *J Clin Oncol* 31:3869-3876, 2013
- Bare MG, Margolies L, Boehmer U: Omission of sexual and gender minority patients. *J Clin Oncol* 32:2182-2183, 2014

It is important to note as well that the literature on sexual minority cancer survivors and same-sex couples coping with cancer is only just beginning to be developed. Existing studies have primarily focused on epidemiologic descriptions of health disparities.<sup>9,31,32</sup> We call for additional research on the needs of sexual minority patients with cancer and their partners; qualitative or mixed-method studies aimed at asking sexual minority survivors to discuss unmet needs in their own words will be important in establishing research priorities.<sup>33</sup> Socioculturally tailored interventions could then be developed based on these priorities, testing patient-provider communication strategies around sexual minority identity and/or involving same-sex partners in couples-based approaches traditionally targeted at heterosexual dyads.

Cancer has played a major role in debate about same-sex marriage in the United States. It is likely that same-sex couplehood is playing a reciprocally major role in the cancer experience of sexual minority patients with cancer. Unfortunately, little is known about these relationships in general, and less is known about how they function in the context of cancer. We hope that this perspective piece will spark interest in examining the process of coping with cancer among same-sex couples and lead to enhanced services for this underserved and underrepresented group.

### Acknowledgment

Supported by National Institutes of Health Grants No. R25CA102618-05, R01NR010187, and K24DA037034.

### Authors' Disclosures of Potential Conflicts of Interest

Disclosures provided by the authors are available with this article at [jop.ascopubs.org](http://jop.ascopubs.org).

### Author Contributions

**Conception and design:** All authors

**Manuscript writing:** All authors

**Final approval of manuscript:** All authors

Corresponding author: Charles Kamen, PhD, Assistant Professor, University of Rochester, Saunders Research Building, 265 Crittenden Blvd, Box 420658, Rochester, NY 14642; e-mail: [charles\\_kamen@urmc.rochester.edu](mailto:charles_kamen@urmc.rochester.edu).

DOI: [10.1200/JOP.2014.000877](https://doi.org/10.1200/JOP.2014.000877); published online ahead of print at [jop.ascopubs.org](http://jop.ascopubs.org) on January 6, 2015.

- LIVESTRONG Foundation: Coming out with cancer. <http://blog.livestrong.org/2011/03/30/coming-out-with-cancer/>
- Gates G: How Many People Are Lesbian, Gay, Bisexual, and Transgender? Los Angeles, CA, Williams Institute, University of California Los Angeles School of Law, 2011
- Mariotto AB, Rowland JH, Yabroff KR, et al: Long-term survivors of childhood cancers in the United States. *Cancer Epidemiol Biomarkers Prev* 18:1033-1040, 2009
- Boehmer U, Miao X, Ozonoff A: Cancer survivorship and sexual orientation. *Cancer* 117:3796-3804, 2011
- Peplau LA, Fingerhut AW: The close relationships of lesbians and gay men. *Annu Rev Psychol* 58:405-424, 2007

11. Institute of Medicine: The Health of Lesbian, Gay, Bisexual, and Transgender People: Building a Foundation for Better Understanding. Washington, DC, National Academies Press, 2011
12. Boehmer U, Case P: Physicians don't ask, sometimes patients tell: Disclosure of sexual orientation among women with breast carcinoma. *Cancer* 101:1882-1889, 2004
13. Boehmer U, Freund KM, Linde R: Support providers of sexual minority women with breast cancer: Who they are and how they impact the breast cancer experience. *J Psychosom Res* 59:307-314, 2005
14. Durso LE, Meyer IH: Patterns and predictors of disclosure of sexual orientation to healthcare providers among lesbians, gay men, and bisexuals. *Sex Res Social Policy* 10:35-42, 2013
15. Volk RJ, Cantor SB, Cass AR, et al: Preferences of husbands and wives for outcomes of prostate cancer screening and treatment. *J Gen Intern Med* 19:339-348, 2004
16. Baumle AK: Same-sex cohabiting elders versus different-sex cohabiting and married elders: Effects of relationship status and sex of partner on economic and health outcomes. *Soc Sci Res* 43:60-73, 2014
17. Gonzales G, Blewett LA: National and state-specific health insurance disparities for adults in same-sex relationships. *Am J Public Health* 104:e95-e104, 2014
18. Johnson MO, Dilworth SE, Taylor JM, et al: Primary relationships, HIV treatment adherence, and virologic control. *AIDS Behav* 16:1511-1521, 2012
19. Hamer M, Chida Y, Molloy GJ: Psychological distress and cancer mortality. *J Psychosom Res* 66:255-258, 2009
20. Meyer IH: Prejudice, social stress, and mental health in lesbian, gay, and bisexual populations: Conceptual issues and research evidence. *Psychol Bull* 129:674-697, 2003
21. Kamen C, Palesh O, Gerry A, et al: Disparities in health risk behavior and psychological distress among gay versus heterosexual male cancer survivors. *LGBT Health* 1:86-92, 2014
22. Lick DJ, Durso LE, Johnson KL: Minority stress and physical health among sexual minorities. *Perspect Psychol Sci* 8:521-548, 2013
23. Hatzenbuehler ML, McLaughlin KA, Keyes KM, et al: The impact of institutional discrimination on psychiatric disorders in lesbian, gay, and bisexual populations: A prospective study. *Am J Public Health* 100:452-459, 2010
24. Jaremka LM, Glaser R, Malarkey WB, et al: Marital distress prospectively predicts poorer cellular immune function. *Psychoneuroendocrinology* 38:2713-2719, 2013
25. Zautra AJ, Hoffman JM, Matt KS, et al: An examination of individual differences in the relationship between interpersonal stress and disease activity among women with rheumatoid arthritis. *Arthritis Care Res* 11:271-279, 1998
26. Hatzenbuehler ML, McLaughlin KA: Structural stigma and hypothalamic-pituitary-adrenocortical axis reactivity in lesbian, gay, and bisexual young adults. *Ann Behav Med* 47:39-47, 2014
27. Cunningham TJ, Seeman TE, Kawachi I, et al: Racial/ethnic and gender differences in the association between self-reported experiences of racial/ethnic discrimination and inflammation in the CARDIA cohort of 4 US communities. *Soc Sci Med* 75:922-931, 2012
28. Juster RP, Smith NG, Ouellet É, et al: Sexual orientation and disclosure in relation to psychiatric symptoms, diurnal cortisol, and allostatic load. *Psychosom Med* 75:103-116, 2013
29. Ryan C, Huebner D, Diaz RM, et al: Family rejection as a predictor of negative health outcomes in white and Latino lesbian, gay, and bisexual young adults. *Pediatrics* 123:346-352, 2009
30. Cochran SD, Mays VM, Sullivan JG: Prevalence of mental disorders, psychological distress, and mental health services use among lesbian, gay, and bisexual adults in the United States. *J Consult Clin Psychol* 71:53-61, 2003
31. Boehmer U, Miao X, Ozonoff A: Health behaviors of cancer survivors of different sexual orientations. *Cancer Causes Control* 23:1489-1496, 2012
32. Kamen C, Palesh O, Andrykowski M, et al: Disparities in physical health concerns among lesbian, gay, bisexual and transgender (Lgbt) cancer survivors. Presented at the 72 Annual Meeting of the American Psychosomatic Society, San Francisco, CA, March 12-15, 2014
33. White JL, Boehmer U: Long-term breast cancer survivors' perceptions of support from female partners: An exploratory study. *Oncol Nurs Forum* 39:210-217, 2012



---

**AUTHORS' DISCLOSURES OF POTENTIAL CONFLICTS OF INTEREST**

**Same-Sex Couples Matter in Cancer Care**

*The following represents disclosure information provided by authors of this manuscript. All relationships are considered compensated. Relationships are self-held unless noted. I = Immediate Family Member, Inst = My Institution. Relationships may not relate to the subject matter of this manuscript. For more information about ASCO's conflict of interest policy, please refer to [www.asco.org/rwc](http://www.asco.org/rwc) or [jop.ascopubs.org/site/misc/ifc.xhtml](http://jop.ascopubs.org/site/misc/ifc.xhtml).*

---

**Charles Kamen**

*No relationship to disclose*

**Karen Mustian**

*No relationship to disclose*

**Mallory O. Johnson**

*No relationship to disclose*

**Ulrike Boehmer**

*No relationship to disclose*