UCLA UCLA Previously Published Works

Title

Correction to: Amyloid β -protein oligomers promote the uptake of tau fibril seeds potentiating intracellular tau aggregation

Permalink https://escholarship.org/uc/item/9dr5n07g

Journal Alzheimer's Research & Therapy, 13(1)

ISSN 1758-9193

Authors

Shin, Woo Shik Di, Jing Cao, Qin <u>et al.</u>

Publication Date

2021-12-01

DOI

10.1186/s13195-021-00824-5

Peer reviewed

CORRECTION

Correction to: Amyloid β -protein oligomers promote the uptake of tau fibril seeds potentiating intracellular tau aggregation

Woo Shik Shin¹, Jing Di¹, Qin Cao², Binsen Li¹, Paul M. Seidler², Kevin A. Murray², Gal Bitan^{1,3} and Lin Jiang^{1,3*}

Correction to: Alz Res Therapy 11, 86 (2019) https://doi.org/10.1186/s13195-019-0541-9

Following publication of the original article [1], the authors reported an error in the supplementary Fig. 4. One of the fluorescent cell images from control "No Aß" experiments was misplaced. The corrected supplementary Fig. 4 is given here as Fig. 1.

The original article can be found online at https://doi.org/10.1186/s13195-019-0541-9.

¹Department of Neurology, David Geffen School of Medicine, UCLA, Los Angeles, CA 90095, USA

³Brain Research Institute, and Molecular Biology Institute, UCLA, Los Angeles, CA 90095, USA

Full list of author information is available at the end of the article

BMC

Shin et al. Alzheimer's Research & Therapy (2021) 13:83 https://doi.org/10.1186/s13195-021-00824-5

Human P301S tau concentration (nM) 50 aggregation when biosensor cells are seeded with brain extracts from transgenic mice expressing human P301S-tau

© The Author(s), 2021 Open Access This article is licensed under a Creative Commons Attribution 4.0 International License. which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.



Νο Αβ



Aß oligomer

Research & Therapy

Alzheimer's

^{*} Correspondence: jianglin@ucla.edu

Author details

¹Department of Neurology, David Geffen School of Medicine, UCLA, Los Angeles, CA 90095, USA. ²Departments of Chemistry and Biochemistry and Biological Chemistry, UCLA-DOE Institute, UCLA, Los Angeles, CA 90095-1570, USA. ³Brain Research Institute, and Molecular Biology Institute, UCLA, Los Angeles, CA 90095, USA.

Published online: 19 April 2021

Reference

 Shin WS, Di J, Cao Q, et al. Amyloid β-protein oligomers promote the uptake of tau fibril seeds potentiating intracellular tau aggregation. Alz Res Therapy. 2019;11:86 https://doi.org/10.1186/s13195-019-0541-9.